



PENDANT RANGE

ARROW  TM



OUR STORY

The foundations of SAL Commercial date back to 1998 with the establishment of Sunny Lighting Australia, a family owned business. The Australian owned and operated business methodically developed a widespread reputation as a trusted brand in the Australian lighting community.

Global market challenges and the dynamic evolution of LED technology catapulted Sunny Lighting Australia to the forefront of the lighting industry, manufacturing and supplying cutting edge solutions for the wholesale channel. Decades on, the 100% Australian owned company now known as SAL National has continued to build on its brand reputation for quality product and exceptional service to be a leader of lighting technologies in the 21st century.


SAL Commercial has established itself as an organisation that understands all aspects of the project lighting market. With a desire to challenge the status quo of the lighting industry and develop class leading products that not only enhance the experience for end users but offer class leading features and performance to those who design, specify and who install our products.

SAL Commercial is proud of our rich history in the Australian lighting landscape and steadfast in the belief that we can help to shape the lighting industry as the world becomes more dynamic and flexible for decades to come.

SAL Commercial has established key partnerships with the worlds leading technology companies, providing the ability to handle projects of all sizes with a focus on delivering best in class results for lighting and quality.

There are many links to the project lighting chain and at SAL Commercial, it is our duty to ensure the end to end solution delivers successful outcomes.





PENDANTS

PRE-SET LENGTHS

The Arrow X pendant range offers the simplicity of pre-configured extruded lengths ranging from 900mm to 2400mm.

DIRECT / INDIRECT ILLUMINATION

Arrow X™ pendants offer the flexibility of selecting optional indirect illumination, controlled independently from the direct light source.

POWERED BY TRIDONIC

Arrow X™ pendants are powered by Tridonic control gear, delivering the latest technology and ensuring performance and reliability for the lifetime of the product.

MAGNETIC END CAP

Arrow X™ pendants are supplied as standard with a tool-free, magnetic end cap. Engineered to completely remove any light leakage, and to offer ease of access for serviceability.



MADE IN AUSTRALIA

The Arrow X™ range is a linear lighting system constructed from extruded aluminum and proudly made in Australia.

SUSPENSION OPTIONS

Arrow X™ pendants are offered with either high quality stainless steel cable suspension kits or a rod suspension system.

OPAL DIFFUSER

All pendant models are supplied with a UV stable, low glare polycarbonate diffuser creating consistent, spot free and linear illumination.

WIRELESS INTEGRATION

The entire Arrow X™ range can be specified with Casambi integration. Utilising Tridonic control gear, customised switching and dimming profiles are simple to set up and commission using wireless technology.

CASAMBI


PENDANTS

THE RANGE




S455

[LEARN MORE](#)



S45R

[LEARN MORE](#)



S80

[LEARN MORE](#)

**NEW
PROFILE**

SUMMIT

MODERN DESIGN

Arrow X™ Summit is the latest addition to the range for 2021 and showcases the depth of options in the Arrow X range.

SUSPENSION OPTIONS


Arrow X™ pendants are offered with either high quality stainless steel cable or rod suspension.

CASAMBI INTEGRATION

Arrow X™ pendants can be specified with Casambi wireless integration.

SCAN ME






IMAGINED BY THE IN-HOUSE DESIGN TEAM

NEW 2021

Summit is the latest addition to the pendant range. With its unique and modern design, the Summit profile makes a statement in any interior.



LIGHT LEAK FREE

With precision engineered joins and magnetic end caps, the Arrow X™ offers a light leak free solution.


CUSTOM COLOURS AVAILABLE

The pendant range can be finished in any colour imaginable.

*Lead times apply


PENDANTS

LENGTHS



Select from a range of pre-configured pendant lengths enabling an efficient supply timeline, pre-defined specification and a selection of finishes.

For custom project solutions, visit the [Projects](#) link below






ARROW X™

SPECIFICATION

S45 SERIES

CODE METHODOLOGY




MODEL

S45S

S45R

LENGTH OPTIONS




900, 1180, 1460, 1880, 2440mm



900, 1180, 1460, 1880, 2440mm


OPTICS



DIFFUSER

Opalised spot free PMMA

OPTICS



140° beam (direct)

DRIVER

240V integrated Tridonic non-dimmable driver

240V integrated Tridonic DALI2 one4all dimmable driver

240V integrated Tridonic Casambi dimmable driver with BLE wireless control

LED

CCT	3000K, 4000K
CRI	Ra 80
Lumens	2500lm p/m
Efficiency	140lm/w
Colour Deviation	SDCM >3
Lifetime	L80/B10 @ 81,000 hours

FINISH

Powder coat: Black, White, Silver metallic

Custom colours available on request

MOUNTING OPTIONS

Stainless steel wire suspension (standard)

Rod Suspension (upon request)

AXS45S / AXS45R

LENGTH

900mm	09
1200mm	12
1500mm	15
1800mm	18
2400mm	24

LIGHT SOURCE

DIRECT ONLY	D
DIRECT / INDIRECT	DI

CCT

3000K	30
4000K	40

DRIVER

Non-dim	N
DALI	D
CASAMBI	C

FINISH

Black	B
White	W
Silver	S
Custom	C



MANUFACTURER ENDORSED WARRANTY

SAL Commercial offers a 5 year warranty on all Arrow X™ products. Confidence behind world class manufacturing processes and procedures ensures that only the highest quality product is supplied.



CODE METHODOLOGY


S80 SERIES




MODEL

S80

LENGTH OPTIONS




OPTICS



DIFFUSER

Opalised spot free PMMA

OPTICS



DRIVER

- 240V integrated Tridonic non-dimmable driver
- 240V integrated Tridonic DALI2 one4all dimmable driver
- 240V integrated Tridonic Casambi dimmable driver with BLE wireless control

LED

CCT	3000K, 4000K
CRI	Ra 80
Lumens	2500lm p/m
Efficiency	140lm/w
Colour Deviation	SDCM >3
Lifetime	L80/B10 @ 81,000 hours

FINISH

- Powder coat: Black, White, Silver metallic
- Custom colours available on request

MOUNTING OPTIONS


- Stainless steel wire suspension (standard)
- Rod Suspension (upon request)

SAMSUNG LED TECHNOLOGY

All Arrow X™ products are manufactured using high output Samsung LED chip technology ensuring reliability and performance for the lifetime of the product.

LED Lifetime L80/B10 @ 81,000 hours





MODEL

SUMMIT


LENGTH OPTIONS



900, 1180, 1460, 1880, 2440mm

OPTICS


Direct Direct/indirect



DIFFUSER

Opalised spot free PMMA

OPTICS



140° beam (direct)

DRIVER

- 240V integrated Tridonic non-dimmable driver
- 240V integrated Tridonic DALI2 one4all dimmable driver
- 240V integrated Tridonic Casambi dimmable driver with BLE wireless control

LED


CCT	3000K, 4000K
CRI	Ra 80
Lumens	2500lm p/m
Efficiency	140lm/w
Colour Deviation	SDCM >3
Lifetime	L80/B10 @ 81,000 hours

FINISH

Powder coat: Black, White, Silver metallic
Custom colours available on request

MOUNTING OPTIONS

- Stainless steel wire suspension (standard)
- Rod Suspension (upon request)



POWERED BY TRIDONIC

All Arrow X™ products are powered by Tridonic control gear. Providing state of the art lighting solutions for over 60 years, Tridonic is a world leading supplier of lighting technology offering the highest quality, reliability and energy efficiency possible.





SAL Commercial Pty Ltd

NSW

📍 40 Biloela St, Villawood NSW 2163

☎ 02 8717 4320

✉ sales@salcommercial.net.au

VIC/SA/NT/TAS

📍 40 Biloela St, Villawood NSW 2163

☎ 02 8717 4320

✉ sales@salcommercial.net.au

QLD

📍 36 Whitelaw Pl, Richlands QLD 4077

☎ 07 3879 5999

✉ sales@salcommercial.net.au

WA

📍 29 Beringarra Ave, Malaga WA 6090

☎ 02 8717 4320

✉ sales@salcommercial.net.au

