

DENVER HIGH-BAY

- Linear High Bay
- Modular Design



IK10



IP66

5

YEAR
WARRANTY

 COMMERCIAL

Model No. & Technical Specification



IK10



IP66



5
YEAR
WARRANTY

100w - Non-Dimmable

Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV10050NS55	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	S55°
IDV10050NS60	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	S60°
IDV10050NS85	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	S85°
IDV10050NS90	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	S90°
IDV10050NS120	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	S120°
IDV10050NA2585	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	A25 x 85°
IDV10050NA60105	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	A60 x 105°
IDV10050NA80100	Denver modular LED High Bay Non-Dimmable	100	15,500	5000	80	A80 x 100°

100w - DALI-2 Dimmable



Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV10050DS55	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	S55°
IDV10050DS60	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	S60°
IDV10050DS85	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	S85°
IDV10050DS90	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	S90°
IDV10050DS120	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	S120°
IDV10050DA2585	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	A25 x 85°
IDV10050DA60105	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	A60 x 105°
IDV10050DA80100	Denver modular LED High Bay DALI-2 Dimmable	100	15,500	5000	80	A80 x 100°

150w - Non-Dimmable

Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV15050NS55	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	S55°
IDV15050NS60	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	S60°
IDV15050NS85	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	S85°
IDV15050NS90	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	S90°
IDV15050NS120	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	S120°
IDV15050NA2585	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	A25 x 85°
IDV15050NA60105	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	A60 x 105°
IDV15050NA80100	Denver modular LED High Bay Non-Dimmable	150	23,250	5000	80	A80 x 100°

150w - DALI-2 Dimmable



Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV15050DS55	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	S55°
IDV15050DS60	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	S60°
IDV15050DS85	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	S85°
IDV15050DS90	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	S90°
IDV15050DS120	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	S120°
IDV15050DA2585	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	A25 x 85°
IDV15050DA60105	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	A60 x 105°
IDV15050DA80100	Denver modular LED High Bay DALI-2 Dimmable	150	23,250	5000	80	A80 x 100°

**IK10****IP66****5****YEAR
WARRANTY**

200w - Non-Dimmable

Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV20050NS55	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	S55°
IDV20050NS60	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	S60°
IDV20050NS85	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	S85°
IDV20050NS90	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	S90°
IDV20050NS120	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	S120°
IDV20050NA2585	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	A25 x 85°
IDV20050NA60105	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	A60 x 105°
IDV20050NA80100	Denver modular LED High Bay Non-Dimmable	200	31,000	5000	80	A80 x 100°

200w - DALI-2 Dimmable



Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV20050DS55	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	S55°
IDV20050DS60	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	S60°
IDV20050DS85	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	S85°
IDV20050DS90	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	S90°
IDV20050DS120	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	S120°
IDV20050DA2585	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	A25 x 85°
IDV20050DA60105	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	A60 x 105°
IDV20050DA80100	Denver modular LED High Bay DALI-2 Dimmable	200	31,000	5000	80	A80 x 100°

240w - Non-Dimmable

Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV24050NS55	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	S55°
IDV24050NS60	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	S60°
IDV24050NS85	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	S85°
IDV24050NS90	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	S90°
IDV24050NS120	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	S120°
IDV24050NA2585	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	A25 x 85°
IDV24050NA60105	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	A60 x 105°
IDV24050NA80100	Denver modular LED High Bay Non-Dimmable	240	37,200	5000	80	A80 x 100°

240w - DALI-2 Dimmable



Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV24050DS55	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	S55°
IDV24050DS60	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	S60°
IDV24050DS85	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	S85°
IDV24050DS90	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	S90°
IDV24050DS120	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	S120°
IDV24050DA2585	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	A25 x 85°
IDV24050DA60105	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	A60 x 105°
IDV24050DA80100	Denver modular LED High Bay DALI-2 Dimmable	240	37,200	5000	80	A80 x 100°



300w - Non-Dimmable

Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV30050NS55	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	S55°
IDV30050NS60	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	S60°
IDV30050NS85	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	S85°
IDV30050NS90	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	S90°
IDV30050NS120	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	S120°
IDV30050NA2585	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	A25 x 85°
IDV30050NA60105	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	A60 x 105°
IDV30050NA80100	Denver modular LED High Bay Non-Dimmable	300	46,500	5000	80	A80 x 100°

300w - DALI-2 Dimmable



Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV30050DS55	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	S55°
IDV30050DS60	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	S60°
IDV30050DS85	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	S85°
IDV30050DS90	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	S90°
IDV30050DS120	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	S120°
IDV30050DA2585	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	A25 x 85°
IDV30050DA60105	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	A60 x 105°
IDV30050DA80100	Denver modular LED High Bay DALI-2 Dimmable	300	46,500	5000	80	A80 x 100°

400w - Non-Dimmable

Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV40050NS55	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	S55°
IDV40050NS60	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	S60°
IDV40050NS85	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	S85°
IDV40050NS90	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	S90°
IDV40050NS120	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	S120°
IDV40050NA2585	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	A25 x 85°
IDV40050NA60105	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	A60 x 105°
IDV40050NA80100	Denver modular LED High Bay Non-Dimmable	400	62,000	5000	80	A80 x 100°

400w - DALI-2 Dimmable



Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV40050DS55	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	S55°
IDV40050DS60	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	S60°
IDV40050DS85	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	S85°
IDV40050DS90	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	S90°
IDV40050DS120	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	S120°
IDV40050DA2585	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	A25 x 85°
IDV40050DA60105	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	A60 x 105°
IDV40050DA80100	Denver modular LED High Bay DALI-2 Dimmable	400	62,000	5000	80	A80 x 100°

480w - Non-Dimmable

IK10

IP66

5
YEAR
WARRANTY


Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV48050NS55	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	S55°
IDV48050NS60	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	S60°
IDV48050NS85	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	S85°
IDV48050NS90	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	S90°
IDV48050NS120	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	S120°
IDV48050NA2585	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	A25 x 85°
IDV48050NA60105	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	A60 x 105°
IDV48050NA80100	Denver modular LED High Bay Non-Dimmable	480	72,000	5000	80	A80 x 100°

480w - DALI-2 Dimmable




Model No.	Description	Power (W)	Lumens	CCT	CRI	Optic
IDV48050DS55	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	S55°
IDV48050DS60	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	S60°
IDV48050DS85	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	S85°
IDV48050DS90	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	S90°
IDV48050DS120	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	S120°
IDV48050DA2585	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	A25 x 85°
IDV48050DA60105	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	A60 x 105°
IDV48050DA80100	Denver modular LED High Bay DALI-2 Dimmable	480	72,000	5000	80	A80 x 100°

Available Optics




25° x 85°




60° x 105°




80° x 100°




120°



90°



60°



85°



55°

- High efficacy LED technology
- Low glare LED optimised optics
- Designed to suit modern high rack warehouse installations
- Multiple mounting options available

MANUFACTURER ENDORSED WARRANTY

SAL Commercial offers a 5 year warranty on all products. Confidence behind world class manufacturing processes and procedures ensures that only the highest quality product is supplied.

